SOLID WASTE MANAGEMENT PROGRAM

REPORT OF SAMPLE ANALYSIS LANDFILL MONITORING PROJECT

Elto: (1) A MRI	17.8 0199(1932)
Otker.	10:41:80
Clem	10:21:02

NAME OF FACILITY <u>West Lakes Landfill</u> ___ DATE(S) ___10-29-80 SAMPLES COLLECTED BY Randy Crawford

NOTE:			
SAMPLE DESCRIPTION	Boring #1	Slough on N.W. edge	(grab)
DATE COLLECTED .	10-29-80	10-29-80	
SAMPLE NUMBER	80-7125	80-7126	
			
pH Units	6.6	7.5	•
Specific Cond. (umhos/cm	500	745	
@ 25º C)			
Milligrams per liter			
BOD	16	∠ 4	
COD	64.4	13.8	
NH ₃ as N	0.84	0.04	
NO3+NO2 as N	0.54	0.08	
Total P	0.21	0.07	
MRAS	0.34	∠ 0.04	•
Total Sulfide			
TOC	25.8	4 1	•
Total Cyanide		9	
Non-Filterable Residue (SS)	No Result*	366	
Filterable Residue (TDS)	No Result*	∡ 25	
<i>Color</i> Alkalinity as CaCO ₃	1 723	2 23	
Fluoride	0.42	0.36	
Chloride	6.5	<i>57 . 8</i>	
Sulfate	79	<i>56</i>	
Hardness as CaCO3 (Ca, Mg, Fe, Zn, Mn)	370	244	
Potassium			
Sodium			
Calcium			
Magnesium	}		
Temperature		9°C	
M:	}		
Micrograms per liter Rarium Dissolved	600	200 Total 0.1 Total	
Barium, <i>Dissolved</i> Cadmium, <i>Dissolved</i>	0.3		
Chromium, Dissolved	2	∠ I Total	
Copper, Dissolved	3	∠ 1 Total	
Iron, Dissolved	150	240 Total	40241246
Lead, Dissolved	2 2	2 Total ∠5 Total) 247 (1 776 7 7777 AZEC AZEC) 1161 1161 1161 1161 1161 1161
Selenium, Dissolved Manganese, Dissolved	1000	70 Total	
Mercury, Dissolved	< 0.1	∠ 0.1 Total	SUPERFUND RECORDS
Nickel	```	-	
Zinc, Dissolved	700	14 Total	
-Arsenic, Dissolved	1	∠5 Total	
Silver, Dissolved	∠ 0.2	∠ 0.1 Total	
*No unfiltered sample			100011/
LSP-69/5-5-80	-	\sim	vr 0240
2012-05/ 0-5-00			*

MISSOURI DEPARTMENT OF NATURAL RESOURCL. DIVISION OF ENVIRONMENTAL QUALITY LABORATORY SERVICES PROGRAM

REPORT OF SAMPLE ANALYSIS LANDFILL MONITORING PROJECT

NAME OF FACILITY	est Lakes Landfill	
SAMPLES COLLECTED BY	Randy Crawford	DATE(S) <u>10-30-80</u>
NOTE:	•	
SAMPLE DESCRIPTION	Boring #2	Black Diamond Lake (grab)
DATE COLLECTED - SAMPLE NUMBER	10-30 - 80 80-7127	10-30-80 80-7128
pH Units Specific Cond. (umhos/cm @ 25° C)	7.2 1100	7.5 4000
Milligrams per liter		
BOD COD NH ₃ as N NO ₃ +NO ₂ as N Total P MBAS Total Sulfide	6 37.8 0.22 0.98 0.37 0.06	>444 845 108 <-0.05 1.0 0.07
TOC Total Cyanide Non-Filterable Residue (SS) Filterable Residue (TDS) Color Alkalinity as CaCO ₃	33.0 15452 684 ∠ 25	302 24 2064 1000
Fluoride Chloride Sulfate Hardness as CaCO ₃ (Ca, Mg, Fe, Zn, Mn)	0.25 42.1 159 465	0.54 355 29 718
Potassium Sodium Calcium Magnesium <i>Temperature</i>	12°C	14 ⁰ C
Micrograms per liter Barium Cadmium Chromium Copper Iron Lead Selenium Manganese	700 Dissolved 1.0 Dissolved 2 Dissolved 11 Dissolved 400 Dissolved 3 Dissolved 5 Dissolved 600 Dissolved	300 Total 0.2 Total 12 Total 1 Total 3200 Total 21 Total 45 Total 500 Total
Mercury Nickel Zinc -Arsenic Silver	∠0.1 Dissolved 1310 Dissolved 2 Dissolved ∠0.2 Dissolved	∠0.1 Total 238 Total 5 Total ∠0.1 Total

MISSOURI DEPARTMENT OF NATURAL RESOURC. DIVISION OF ENVIRONMENTAL QUALITY LABORATORY SERVICES PROGRAM

REPORT OF SAMPLE ANALYSIS LANDFILL MONITORING PROJECT

	<u>est Lake Landfil</u>		· · · · · · · · · · · · · · · · · · ·	 _
SAMPLES COLLECTED BY	Randy Crawford	DATE(S) <u>10-30-80</u>	
NOTE:	V		•	
SAMPLE DESCRIPTION	Boring #3	Boring #4	Boring #5	(Along St. Charles
DATE COLLECTED - SAMPLE NUMBER	10-30-80 80-7129	10-30-80 80-7130	10-31-80 80-7131	Rock Road)
pH Units Specific Cond. (umhos/cm @ 25° C)	7.0 1100	6.7	6,7 1200	
Milligrams per liter				
•	7	17	9	
BOD COD	35.1	42.2	16.9	
NH ₂ as N	0.11	0.23	0.02	•
$NO_3 + NO_2$ as N	0.22	0.06	0.36	
Total P	0.16	0.06	0.10	
MBAS	0.07	0.06	0.15	•
Total Sulfide TOC	No Result*	No Result*	No Result*	
Total Cyanide		7110	896	
Non-Filterable Residue (SS)	8496	7310 2040	120	
Filterable Residue (TDS) <i>Color</i> Alkalinity as CaCO ₃	392 ∠ 25	∠25	∠ 25	
Fluoride	0.32	0.20	0.17	
Chloride	16.4	10.2	14.3	
Sulfate	78	<i>37</i>	141	
Hardness as CaCO ₃ (Ca, Mg, Fe, Zn, Mn)	585	747	<i>577</i>	
Potassium Sodium	}			
Calcium				
Magnesium <i>Temperature</i>	15 ⁰ C	15°C	18°C	
Micrograms per liter	500	400	200	
Barium, <i>Dissolved</i> Cadmium, <i>Dissolved</i>	0.8	400 1.3	0.9	
Chromium, Dissolved	5.6	6	4	
Copper <i>, Dissolved</i>	11	7	4	
Iron, <i>Dissolved</i>	1200	1000	400	
Lead, Dissolved	4 3	ے کے ک	∠ 2	
Selenium, Dissolved Manganese, Dissolved	1100	4400	300	
Mercury, Dissolved	∠0.1	40.1	∠0.1	
Nickel	ļ	<u></u>	-	
Zinc, Dissolved	550	198	132 .	
- Arsenic, Dissolved)	2	∠ 5	
Silver, Dissolved *Instrument Failure	20.2	∠ 0.2	∠ 0.2	

LSP-69/5-5-80

MISSOURI DEPARTMENT OF NATURAL RESOURCES DIVISION OF ENVIRONMENTAL QUALITY LABORATORY SERVICES PROGRAM

Landfill Monitoring Report West Lake Landfill January 5, 1981



INTRODUCTION

The Laboratory Services Program conducted a groundwater survey at the West Lake Landfill in St. Charles County, Missouri from October 29 through October 31, 1980. The survey was done in conjunction with the Division of Geology and Land Survey. The purpose of the survey was to gather water quality information from areas of possible groundwater contamination that are not routinely sampled from the permanent monitoring wells. Sampling and field analyses were performed by Randy Crawford of the Laboratory Services Program, DEQ.

METHÓDS

Water samples were collected from borings that were drilled by the Division of Geology and Land Survey under the direction of Tom Dean. Borings were made to extend approximately one (1) meter below the water table using a hollow core auger. Because of the collapsible nature of the substrate, water from the borings had to be collected by lowering the sampling device down through the center of the auger. The bore holes were not bailed prior to sampling and samples were collected as soon as the drilling operation penetrated the water table.

Besides collecting samples for the normal landfill parameters, samples were also taken from borings #2, 4 and 5 for radiological analyses.

Two (2) surface samples were also collected during the survey. A grab sample was taken from the leachate pool called "Black Diamond Lake" and another grab sample was collected from the small slough at the northwest corner of the landfill along St. Charles Rock Road.

Samples were filtered or left unfiltered, depending on the particular parameters to be analyzed for, and preserved in the appropriate manner.

Fage 1 West Lake Landfill January 5, 1981 January 9, 1981

METHODS (Cont'd)

Specific conductivity and pH were analyzed in the field. All other samples were sent to the Department of Natural Resources Laboratory in Jefferson City, Missouri, where they were analyzed in accordance with methods outlined in EPA 600/4-79-020 Methods for Chemical Analysis of Water and Wastes.

OBSERVATIONS

Because the drilling process and sample collection took more time than anticipated only five (5) of the originally scheduled eleven (11) borings were completed. Attached is a map of the West Lake Site showing the locations of those borings in which samples were collected.

Boring #1 was drilled on the south side of the landfill approximately 150 yds. south of monitoring Well #37. We first attempted to collect a sample from the boring after the auger had been removed. When the boring caved in the decision was made to leave the auger in place and lower the bailer (sampling device) through the augers hollow core.

Boring #2 was located on the south side of the landfill about 50 yds. south of monitoring Well #37A and 150 yds. west of boring #1.

Boring #3 was drilled on the southwest corner of the landfill approximately 50 yds. southwest of monitoring Well #41. Although we did not collect water at this site for radiological testing, we did split the sample with consultants for the Nuclear Regulatory Commission who did plan on conducting radiological analyses.

Boring #4 was located on the northwest side of the landfill immediately south of the slough. Samples collected here were split with the consultants from the Nuclear Regulatory Commission.

Boring #5 was drilled on the north side of the landfill along St. Charles Rock Road. Samples from this site were also split with the Nuclear Regulatory Commission Consultants.

Water from all of the borings was extremely turbid because of disturbance caused by the drilling process.

The grab sample from "Black Diamond Lake" was collected from the platform extending into the leachate pool. The sample was black in color but clear probably indicating the presence of dissolved rather than suspended material. The strong odor seemed typical of collection well leachate.

Page _ ree West Lake Landfill January 5, 1981 January 9, 1981

OBSERVATIONS (Cont'd)

Water from the slough along St. Charles Rock Road was similar in appearance to other ponds in the area. Fish (gizzard shad and carp) were seen swimming in the slough and small growths of algae (spirogyra) were present around the edge of the slough. The immediate area around the slough appeared to be used as a dump site for fill material (concrete, rock, etc.) and other trash.

RESULTS

See Attached Results .

Submitted by

Randy Crawford

Environmental Specialist II

Date

January 9 1981

Approved by

James H. Long, Director Laboratory Services Program

cc: Robert Robinson, Director, Solid Waste Management Program
Burt McCullough, Solid Waste Management Program

